



# DISTRICT OF CLEARWATER REQUEST FOR QUOTE DOG PARK FENCING

<b>Request for Quotation #</b>	Parks 2026 - 004
<b>Issue Date:</b>	June 17, 2026.
<b>Site Visit</b>	No scheduled mandatory site visit.
<b>Enquiries Deadline</b>	June 24, 2026.
<b>Closing Date and Time (Pacific Time):</b>	June 29, 2026, 10:00am.
<b>Project Completion Date:</b>	July 31, 2026.
<b>Delivery of Submissions</b>	
<b>Submissions must be submitted using the following delivery method:</b>	
<p><b>Email Submission:</b> Submissions by email must be submitted to the email address specified below. Include the Request for Quotation # in the subject line of the email. <i>If you do not receive an auto reply from the email below, please contact the District at 250-674-2257 to confirm your submission.</i></p> <p style="text-align: center;"><a href="mailto:admin@docbc.ca">admin@docbc.ca</a></p> <p><b>Hand delivered Submission:</b> Hand delivered submissions must be delivered to the District office between the hours of 8:30am and 4:00pm Monday to Friday before the date and time specified above. Include the Request for Quotation # on the outside of the submission.</p> <p style="text-align: center;">District of Clearwater 209 Dutch Lake Road Clearwater, BC</p>	
<b>Owner</b>	
<b>District of Clearwater - 209 Dutch Lake Road - Clearwater BC</b>	
<b>Official Contact</b>	
<b>Roger Mayer – Manager of Facilities and Parks</b> <a href="mailto:Rmayer@docbc.ca">Rmayer@docbc.ca</a> 250-674-8712	
Enquiries related to this RFQ may only be directed in writing to the individual named above (“Official Contact”) at the email above. Information obtained from any other source is not official and should not be relied upon.	
<b>Work Site Address</b>	
<b>340 Murtle Crescent, Clearwater BC</b>	
<b>Scope of Work</b>	
The District of Clearwater is constructing a dog park at the above address and requires approximately 220m’ of chain link fencing, 48” in height with 1 set of double machine gates 144” in width and 1 dog vestibule with two 36” gates. For fencing dimensions and gate locations see Appendix A. For complete fencing specifications see appendix B. Quoted price to include all materials, labor, freight and cleanup.	

<b>Evaluation Criteria</b>	
Quotations will be evaluated solely on price.	
<b>Sundry</b>	
<ul style="list-style-type: none"> <li>• The successful proponent will be required to hold a Business license with the District of Clearwater.</li> <li>• The successful proponent will be required to provide proof of General Liability Insurance of Five Million Dollars (\$5,000,000).</li> <li>• The successful proponent will be required to provide proof of and Work Safe BC clearance.</li> <li>• All work to be completed to industry standard. Work site to be left in a clean and professional manner.</li> <li>• Proponent staff should always conduct themselves in a professional manner.</li> <li>• Invoices to be submitted at the conclusion of the project.</li> <li>• payments to be made within 30 days.</li> </ul>	

<b>Company Name</b>	
<b>Mailing Address</b>	
<b>City</b>	
<b>Email address</b>	
<b>Phone number</b>	
<b>Contact name</b>	
<b>Title</b>	
<b>Cell number</b>	
<b>Signature</b>	
<b>Date</b>	

The undersigned quote is in response to the Conditions noted above, Addendums (if applicable) have been reviewed.

<b>Total price including all materials, installation, cleanup.</b>	
<b>GST @ 5%</b>	
<b>PST @ 7%</b>	
<b>Total price</b>	

This quotation is valid for: \_\_\_\_\_ days

**The Owner has the right, in its sole discretion, not to award a Contract and has the right to reject any or all quotes (including the lowest quote) without giving any reason for doing so.**

# APPENDIX A

Dog Park Fencing dimensions:



10' x 10' Double gated dog vestibule located in Northwest Corner inside perimeter with 2 – 36" gates.

12' Machine gate located on North fence line with 2 - 72" gates

Successful proponent to confirm corner post and gate locations with the Official Contact before construction begins.

# APPENDIX B

<b>Fence component</b>	<b>dimension</b>	<b>Details</b>
Terminal Posts	2 3/8"	12" x 30" depth with concrete
Gate Posts	2 3/8"	12" x 30" depth with concrete
Line post	1 7/8"	10" x 24" depth with concrete
Line Post spacing		Maximum 10' OC, evenly spaced
Top rail	1 7/8"	As required
chain link	48" height, 2" mesh	Galvanized 9 gauge
posts and top rails end caps		require appropriate caps
Tension bars to be used at all terminal posts		Attached to terminal posts with tension band
Bottom Tension wire	220 m	
Tension wire clips or hog rings		@ 24" OC
Top Rail tie wires		@ 24" OC
Post Tie Wires		@ 12" OC
Dog Vestibule gates c/w hinge	Gate width 36"	Require fork latch
Machine Gate c/w hinge	Opening width 12'	Require drop pin latch to accept padlock
Machine Gates		Require one 6" wheel per gate
Other misc. parts as required		